

COPYRIGHT NOTICE:

Jean-Michel Bismut & Gilles Lebeau:

The Hypoelliptic Laplacian and Ray-Singer Metrics. (AM-167)

is published by Princeton University Press and copyrighted, © 2008, by Princeton University Press. All rights reserved. No part of this book may be reproduced in any form by any electronic or mechanical means (including photocopying, recording, or information storage and retrieval) without permission in writing from the publisher, except for reading and browsing via the World Wide Web. Users are not permitted to mount this file on any network servers.

Follow links Class Use and other Permissions. For more information, send email to: permissions@press.princeton.edu

Contents

Introduction	1
Chapter 1. Elliptic Riemann-Roch-Grothendieck and flat vector bundles	11
1.1 The Clifford algebra	11
1.2 The standard Hodge theory	12
1.3 The Levi-Civita superconnection	14
1.4 Superconnections and Poincaré duality	15
1.5 A group action	16
1.6 The Lefschetz formula	16
1.7 The Riemann-Roch-Grothendieck theorem	17
1.8 The elliptic analytic torsion forms	19
1.9 The Chern analytic torsion forms	21
1.10 Analytic torsion forms and Poincaré duality	22
1.11 The secondary classes for two metrics	22
1.12 Determinant bundle and Ray-Singer metric	23
Chapter 2. The hypoelliptic Laplacian on the cotangent bundle	25
2.1 A deformation of Hodge theory	25
2.2 The hypoelliptic Weitzenböck formulas	29
2.3 Hypoelliptic Laplacian and standard Laplacian	30
2.4 A deformation of Hodge theory in families	33
2.5 Weitzenböck formulas for the curvature	35
2.6 $\mathfrak{S}_{\phi_b, \pm\mathcal{H}-b\omega^H}^{\mathcal{M}}, \mathfrak{E}_{\phi_b, \pm\mathcal{H}-b\omega^H}^{\mathcal{M},2}$ and Levi-Civita superconnection	40
2.7 The superconnection $A_{\phi, \mathcal{H}-\omega^H}^{\mathcal{M}}$ and Poincaré duality	40
2.8 A $\mathbf{2}$ -parameter rescaling	41
2.9 A group action	43
Chapter 3. Hodge theory, the hypoelliptic Laplacian and its heat kernel	44
3.1 The cohomology of $\mathbf{T}^*\mathbf{X}$ and the Thom isomorphism	44
3.2 The Hodge theory of the hypoelliptic Laplacian	45
3.3 The heat kernel for $\mathfrak{A}_{\phi, \mathcal{H}^c}^2$	50
3.4 Uniform convergence of the heat kernel as $\mathbf{b} \rightarrow \mathbf{0}$	53
3.5 The spectrum of $\mathfrak{A}_{\phi_b, \pm\mathcal{H}}^2$ as $\mathbf{b} \rightarrow \mathbf{0}$	55
3.6 The Hodge condition	58
3.7 The hypoelliptic curvature	60
Chapter 4. Hypoelliptic Laplacians and odd Chern forms	62
4.1 The Berezin integral	63

4.2	The even Chern forms	64
4.3	The odd Chern forms and a 1-form on \mathbf{R}^{*2}	65
4.4	The limit as $\mathbf{t} \rightarrow \mathbf{0}$ of the forms $\mathbf{u}_{\mathbf{b},\mathbf{t}}, \mathbf{v}_{\mathbf{b},\mathbf{t}}, \mathbf{w}_{\mathbf{b},\mathbf{t}}$	68
4.5	A fundamental identity	68
4.6	A rescaling along the fibers of $\mathbf{T}^*\mathbf{X}$	69
4.7	Localization of the problem	70
4.8	Replacing $\mathbf{T}^*\mathbf{X}$ by $\mathbf{T}_{\mathbf{x}}\mathbf{X} \oplus \mathbf{T}_{\mathbf{x}}^*\mathbf{X}$ and the rescaling of Clifford variables on $\mathbf{T}^*\mathbf{X}$	76
4.9	The limit as $t \rightarrow 0$ of the rescaled operator	80
4.10	The limit of the rescaled heat kernel	82
4.11	Evaluation of the heat kernel for $\frac{\Delta_{\mathbf{V}}}{4} + \mathbf{a}\nabla_{\mathbf{p}}$	87
4.12	An evaluation of certain supertraces	91
4.13	A proof of Theorems 4.2.1 and 4.4.1	92
Chapter 5. The limit as $t \rightarrow +\infty$ and $b \rightarrow 0$ of the superconnection forms		98
5.1	The definition of the limit forms	98
5.2	The convergence results	101
5.3	A contour integral	102
5.4	A proof of Theorem 5.3.1	104
5.5	A proof of Theorem 5.3.2	104
5.6	A proof of the first equations in (5.2.1) and (5.2.2)	109
Chapter 6. Hypoelliptic torsion and the hypoelliptic Ray-Singer metrics		113
6.1	The hypoelliptic torsion forms	113
6.2	Hypoelliptic torsion forms and Poincaré duality	115
6.3	A generalized Ray-Singer metric on the determinant of the cohomology	116
6.4	Truncation of the spectrum and Ray-Singer metrics	120
6.5	A smooth generalized metric on the determinant bundle	122
6.6	The equivariant determinant	123
6.7	A variation formula	125
6.8	A simple identity	126
6.9	The projected connections	126
6.10	A proof of Theorem 6.7.2	127
Chapter 7. The hypoelliptic torsion forms of a vector bundle		131
7.1	The function $\tau(\mathbf{c}, \eta, \mathbf{x})$	131
7.2	Hypoelliptic curvature for a vector bundle	133
7.3	Translation invariance of the curvature	134
7.4	An automorphism of E	135
7.5	The von Neumann supertrace of $\exp(-\mathcal{L}_{\mathbf{c}}^E)$	136
7.6	A probabilistic expression for $\mathbf{Q}'_{\mathbf{c}}$	138
7.7	Finite dimensional supertraces and infinite determinants	139
7.8	The evaluation of the form $\text{Tr}_s[\mathbf{g} \exp(-\mathcal{L}_{\mathbf{c}}^E)]$	148
7.9	Some extra computations	152
7.10	The Mellin transform of certain Fourier series	155
7.11	The hypoelliptic torsion forms for vector bundles	160

CONTENTS	vii
Chapter 8. Hypoelliptic and elliptic torsions: a comparison formula	162
8.1 On some secondary Chern classes	162
8.2 The main result	163
8.3 A contour integral	164
8.4 Four intermediate results	165
8.5 The asymptotics of the \mathbf{I}_k^0	166
8.6 Matching the divergences	169
8.7 A proof of Theorem 8.2.1	170
Chapter 9. A comparison formula for the Ray-Singer metrics	171
Chapter 10. The harmonic forms for $b \rightarrow 0$ and the formal Hodge theorem	173
10.1 A proof of Theorem 8.4.2	173
10.2 The kernel of $\mathbf{A}_{\phi, \mathcal{H}^c}^2$ as a formal power series	175
10.3 A proof of the formal Hodge Theorem	178
10.4 Taylor expansion of harmonic forms near $\mathbf{b} = \mathbf{0}$	180
Chapter 11. A proof of equation (8.4.6)	182
11.1 The limit of the rescaled operator as $\mathbf{t} \rightarrow \mathbf{0}$	182
11.2 The limit of the supertrace as $\mathbf{t} \rightarrow \mathbf{0}$	187
11.3 A proof of equation (8.4.6)	189
Chapter 12. A proof of equation (8.4.8)	190
12.1 Uniform rescalings and trivializations	190
12.2 A proof of (8.4.8)	192
Chapter 13. A proof of equation (8.4.7)	194
13.1 The estimate in the range $\mathbf{t} \geq \mathbf{b}^\beta$	194
13.2 Localization of the estimate near $\pi^{-1}\mathbf{X}_g$	196
13.3 A uniform rescaling on the creation annihilation operators	198
13.4 The limit as $\mathbf{t} \rightarrow \mathbf{0}$ of the rescaled operator	200
13.5 Replacing \mathbf{X} by $\mathbf{T}_x\mathbf{X}$	202
13.6 A proof of (13.2.11)	205
13.7 A proof of Theorem 13.6.2	206
Chapter 14. The integration by parts formula	214
14.1 The case of Brownian motion	215
14.2 The hypoelliptic diffusion	217
14.3 Estimates on the heat kernel	219
14.4 The gradient of the heat kernel	220
Chapter 15. The hypoelliptic estimates	224
15.1 The operator $\mathfrak{A}_{\phi_b, \pm \mathcal{H}}'^2$	224
15.2 A Littlewood-Paley decomposition	226
15.3 Projectivization of $\mathbf{T}^*\mathbf{X}$ and Sobolev spaces	227
15.4 The hypoelliptic estimates	229
15.5 The resolvent on the real line	238
15.6 The resolvent on \mathbf{C}	240

15.7	Trace class properties of the resolvent	243
Chapter 16.	Harmonic oscillator and the J_0 function	247
16.1	Fock spaces and the Bargman transform	247
16.2	The operator $\mathbf{B}(\xi)$	249
16.3	The spectrum of $\mathbf{B}(\mathbf{i}\xi)$	251
16.4	The function $\mathbf{J}_0(\mathbf{y}, \lambda)$	253
16.5	The resolvent of $\mathbf{B}(\mathbf{i}\xi) + \mathbf{P}$	261
Chapter 17.	The limit of $\mathfrak{A}_{\phi_b, \pm\mathcal{H}}^{l_2}$ as $b \rightarrow 0$	264
17.1	Preliminaries in linear algebra	268
17.2	A matrix expression for the resolvent	268
17.3	The semiclassical Poisson bracket	270
17.4	The semiclassical Sobolev spaces	271
17.5	Uniform hypoelliptic estimates for \mathbf{P}_h	272
17.6	The operator \mathbf{P}_h^0 and its resolvent $\mathbf{S}_{h,\lambda}$ for $\lambda \in \mathbf{R}$	277
17.7	The resolvent $\mathbf{S}_{h,\lambda}$ for $\lambda \in \mathbf{C}$	281
17.8	A trivialization over \mathbf{X} and the symbols $\mathcal{S}_{\rho,\delta,c}^{\mathbf{d},\mathbf{k}}$	283
17.9	The symbol $\mathbf{Q}_h^0(\mathbf{x}, \xi) - \lambda$ and its inverse $\mathbf{e}_{0,h,\lambda}(\mathbf{x}, \xi)$	289
17.10	The parametrix for $\mathbf{S}_{h,\lambda}$	306
17.11	A localization property for $\mathbf{E}_0, \mathbf{E}_1$	307
17.12	The operator $\mathbf{P}_\pm \mathbf{S}_{h,\lambda}$	308
17.13	A proof of equation (17.12.9)	309
17.14	An extension of the parametrix to $\lambda \in \mathcal{V}$	318
17.15	Pseudodifferential estimates for $\mathbf{P}_\pm \mathbf{S}_{h,\lambda} \mathbf{i}_\pm$	319
17.16	The operator $\mathbf{\Theta}_{h,\lambda}$	323
17.17	The operator $\mathbf{T}_{h,\lambda}$	326
17.18	The operator $(\mathbf{J}_1/\mathbf{J}_0)(\mathbf{hD}^{\mathbf{X}}/\sqrt{2}, \lambda)$	329
17.19	The operator $\mathbf{U}_{h,\lambda}$	331
17.20	Estimates on the resolvent of $\mathbf{T}_{h,h^2\lambda}$	337
17.21	The asymptotics of $(\mathbf{L}_c - \lambda)^{-1}$	340
17.22	A localization property	348
	Bibliography	353
	Subject Index	359
	Index of Notation	361